




MAXIMUM



WOOD WORKING ACCESSORY

WOOD WORKING ACCESSORY



MTS-W001 RAIL COPING SLED

New, taller round handles allow a firm, comfortable grip from any angle of approach.
Toggle clamp features easy, tool-free adjustments and one-handed operation.
Clear, elevated guide runs against fence, offering a large, smooth-running reference edge without having to cut into the sled.
Sacrificial block is easily replaceable to accommodate different profiles.
Smooth-sliding 3/8" thick phenolic base stays rigid and flat when toggle clamp pressure is applied.



MTS-W001-1 FENCE GUIDE

Parts for rail coping sled.



MTS-W001-2 LEVER CLAMP WITH SCREW

Cam levers (often called cam clamps) are quick-action fastening devices allowing the user to quickly release a workpiece without the use of tools or equipment.
Once the lever is threaded onto the application, clamping force is applied by pushing down the lever.



MTS-W001-3 FIXED FENCE

Adjustable fence design the claw easy for tight and fastening, secure of the workpiece.


WOOD WORKING ACCESSORY

TOOLS



MTS-W002 FENCE SET OF THE DRILL PRESS

The fence set included 8 slotted aluminum track, 2 x 140mm hold down clamp, flip stop, dust port with 2pcs connector.



MTS-W003 FENCE SET OF THE ROUTER

This fence set is the cover, flip stop, 2 feather board, 8 slotted aluminum track, L fixed support, dust port to combine assemble.



MTS-W004 SINGLE PC 6 SLOTTED ALUMINUM TRACK FENCE

Select size: 24", 36", 48"



MTS-W005 2PCS ALUMINUM TRACK FENCE SET

Fence combine of the 8 and 6 slotted aluminum track.
Select size: 24", 36", 48"


WOOD WORKING ACCESSORY



MTS-W006 MULTIFUNCTION FENCE SET

This fence set is the wood fence, flip stop, feather board and slotted aluminum track to combine assemble.

Perfect fence set, used for the router, table saw, shaper, drill press work table.



PART NUMBER OF MULTIFUNCTION FENCE SET

MTS-W006-1 WOOD FENCE

MTS-W006-2 ALUMINUM TRACK

MTS-W006-3 SLOTTED ALUMINUM TRACK

MTS-W006-4 FEATHER BOARD KIT

MTS-W006-5 FLIP STOP

The MTS-W004-3 fence body be 8 and 6 slotted aluminum track combine assemble.



MTS-W007 MITRE GUIDE WITH FENCE

Fits standard mitre slots and T-track slots.

Positive stops (0°, 22.5°, 30°, 45°, 60°, 67.5° and 90°) make it easy to cut precise mitres.

Adjustable spring-loaded detents in slide bar keeps the mitre gauge tight in older, well used slots.

Rugged aluminum fence with built-in flip stop helps you make repeatable cuts faster and more accurately.



MTS-W008 INDEXING PLATE WITH MEASURE

Aluminum fence with measure, length 24", 36", 48".

The fence 2 side can select the measure, mm and inch or both side same.

Designing 90 degree and 45 degree, or select 2 side both 45 degree.

WOOD WORKING ACCESSORY

PARTS AND TOOLS



MTS-W009 FEATHERBOARD SET

Ideal for use with any table saw, band saw, or router table with a standard 3/8" x 3/4" mitre slot. Expandable mitre track bars provide maximum holding power. Two star knobs to lock feather board in place.



MTS-W010 HOLD DOWN CLAMP SET

Ideal for use with any table saw, band saw, or router table. Superb power and grip, clamp includes washer and T-bolt. Length: 14cm, 11cm



MTS-W011 FLIP STOP

Aluminum extrusion when building shop fixtures that require repeatable cuts. Flip stop attaches to the top rail of fence.



MTS-W012 CORNER CHISEL

This is the perfect tool for squaring up round corners produced when routing hinge mortises. This spring loaded chisel is made of hardened steel and is sharp, ready to use right out of the box.



MTS-W013 ROUTER COLLET EXTENSION

It's often impossible to raise a router bit high enough on table mounted routers.

The addition of router collet extension makes it possible on 1/2" collet routers.

1/2" shank to 1/2" shank collet extension

1/2" shank to 1/4" shank collet extension

WOOD WORKING ACCESSORY

PARTS AND TOOLS



MTS-W014 METRIC CORNER RADIUS ROUTING TEMPLATES

Material: aluminum

Use with a flush-trim bit and router to create corner curves with radiuses ranging from R5, R10, R15, R20, R25, R30.

Radius is printed on each corner for easy selection.



MTS-W014A BRITISH CORNER RADIUS ROUTING TEMPLATES

Material: aluminum

Use with a flush-trim bit and router to create corner curves with radiuses ranging from 1/8" to 2"

Radius is printed on each corner for easy selection.



MTS-W015 ANGLE CLAMP

Aluminum alloy material.

High quality and stronger, on each side for members of equal thickness.

The maximum hold 1 1/4".



MTS-W016 ELECTRONIC DIGITAL SCALE UNIT

Data read, print cable length: 100mm to 1500mm

Scale unit length: 100mm, 150mm, 200mm, 300mm.



MTS-W017 GRINDING STAND

Aluminum body with scale the 20, 25, 30, 35 degree for the chisel blade.

Additional angle gauge for the chisel blade.

Maximum grinder wheel x 30mm, and height adjustment of the stand function.

WOOD WORKING ACCESSORY

TOOLS



MTS-W018 TALL JIG HANDLE SET

Use as knobs that double as handles for pulling and pushing jigs and fixtures.

5/16" inset with 19mm and 38mm T slot bolt

1/4" inset with 19mm and 38mm T slot bolt

5/16" - 25mm bolt

1/4" - 25mm bolt



MTS-W019 LOCK KNOB

The knobs to securely lock with the T-bolt in place.

1/4"-20 insert



MTS-W020 45 DEGREE MITRE SLED

Perfect tools, no adjustment, simply cut one piece the leading face, one on the trailing face, since both pieces reference off a 90 degree angle, use for table saw cut.

Material: Aluminum



MTS-W021 WOOD LATHE CHUCK

Scroll chuck perfect for holding bowls, spindles, and other unwieldy wood lathe projects.

Internal jaws tighten around workpieces varying from 40mm to 70mm in size.

External jaws spread inside of workpieces with pilot ranging from 50 to 80mm.



MTS-W022 JOINTER KNIFE SETTING JIG

Powerful magnets hold steel blade in place.

Quick set jointer knives to within 0.001".

Instantly adjust nicked or damaged knives.

Jig adjusts to jointer up to 8" wide.

MAXIMUM

📍 1F.,NO9,FONGSIANG ST.,NANTUN DIST.,TAICHUNG CITY 408, TAIWAN.

☎ 886-4-2479-1483

📠 886-4-2479-4551

✉ dayu2639@ms62.hinet.net / maximum.tools@msa.hinet.net

